EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	457	(select\$4 with authenticate \$4) (authentication\$4 with identifier\$4) (authentication\$4 with server\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S 2	457	authentications (select\$4 with authenticate\$4) (authentication\$4 with identifier\$4) (authentication\$4 with server\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S 3	249	S2 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S4	37	authentications (select\$4 near3 authenticate\$4) (authentication\$4 near3 identifier\$4) (authentication\$4 near3 server\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S5	18	S4 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S6	17	(select\$4 near3 authenticate\$4) (authentication\$4 adj3 identifier\$4) (authentication\$4 adj3 server\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S7	8	S6 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50

S8	90	(plurality\$4 with authenticate\$4) (select\$4 with authenticate\$4) (authentication\$4 with identifier\$4) (authentication\$4 with server\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S9	34	(plurality\$4 with authenticate\$4) (select\$4 with authenticate\$4) (authentication\$4 with identifier\$4) (authentication\$4 with server\$4) (IPSec or SSL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S10	3	(plurality\$4 with authenticate\$4) (select\$4 with authenticate\$4) (authentication\$4 with identifier\$4) (authentication\$4 with server\$4) (IPSec and SSL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S11	1	S10 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S12	16	S9 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S13	37	(US-20050257274-\$ or US-20050193211-\$ or US-20050135625-\$ or US-20040250085-\$ or US-20080201576-\$ or US-20060036856-\$ or US-20050289341-\$ or US-20050102522-\$ or US-20040255168-\$ or US-20040172535-\$ or US-20030033524-\$ or US-20070211892-\$ or US-20040010688-\$ or US-20030061518-\$ or US-20030061518-\$ or US-20030018918-\$ or US-200401181692-\$ or US-20030065952-\$ or US-20030051147-\$ or US-20030021418-\$ or US-20040010697-\$).did. or	US-PGPUB; USPAT	AND	ON	2010/01/11

		(US-7350229-\$ or US-6178505-\$ or US-6657956-\$ or US-7325126-\$ or US-7321972-\$ or US-7231661-\$ or US-7194761-\$ or US-6950935-\$ or US-6338139-\$ or US-7213156-\$ or US-7424613-\$ or US-7231657-\$ or US-7353542-\$ or US-7139918-\$).did.				
S14	5	S13 (plurality\$4 with authenticate\$4) (select\$4 with authenticate\$4) (authentication\$4 with identifier\$4) (authentication\$4 with server\$4) (IPSec or SSL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S15	7	S13 (plurality\$4 with authenticate\$4) (select\$4 with authenticate\$4) (authentication\$4 with identifier\$4) (authentication\$4 with server\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S16	1	10/566945	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S17	1593	726/5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S18	1672	726/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S19	3070	713/168.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S20	3707	713/176.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50

S21	79665	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 10:50
S22	254130	authentic\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S23	32042	S21 S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S24	7	BAUBAN-PATRICK.in. MICHON-PHILIPPE.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S 25	8595	(France adj2 Telecom\$4). as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S26	19443	S23 @ad< "20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S27	244	(Authentic\$6 with \$4Server \$6) (Plural\$5 with Authentic\$6 with (Identifier or ID)) ((Authoriz\$6 or Allow\$4 or Grant\$4 or Permi\$6 or Approv\$6) same (Access with (Right\$4 or Privileg\$4 or Control\$4 or level\$4))) (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11

S28	80	\$26 (Authentic\$6 with \$4\$erver\$6) (Plural\$5 with Authentic\$6 with (Identifier or ID)) ((Authoriz\$6 or Allow\$4 or Grant\$4 or Permi\$6 or Approv\$6) same (Access with (Right\$4 or Privileg\$4 or Control\$4 or level\$4))) (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Cient\$3 or \$4host\$3 or \$4server\$2 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S29	26	(Authentic\$6 with \$4Server \$6) ((Select\$4 or Choos \$4) with Plural\$5 with Authentic\$6 with (Identifier or ID)) ((Authoriz\$6 or Allow\$4 or Grant\$4 or Permi\$6 or Approv\$6) same (Access with (Right\$4 or Privileg\$4 or Control\$4 or level\$4))) (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4Station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S30	12	S29 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	2	2010/01/11 10:50
S 31	48948	Authentic\$6 \$4Server\$6 (Select\$4 or Choos\$4) Plural\$5 (Identifier or ID) (Authoriz\$6 or Allow\$4 or Grant\$4 or Permi\$6 or Approv\$6) (Access or Right \$4 or Privileg\$4 or Control \$4 or level\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50

S32	62	(Authoriz\$6 or Allow\$4 or Grant\$4 or Permi\$6 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/01/11 10:50
S33	9319	S17 S18 S19 S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 10:50
S34	2116	S31 S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S35	21397	Authentic\$6 (Select\$4 or Choos\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/01/11 10:50
S36	692	S34 S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S37	0	(Authentic\$6).ti. (Authentic \$6).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/01/11 10:50
S38	44117	(Authentic\$6).ti. (Authentic \$6).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S39	231	S36 S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50

S40	144	S39 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S41	2314	,	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S42	58	(Authentic\$6).ti. (Authentic \$6).ab. (Authentic\$6 with (Select\$4 or Choos\$4) with Plural\$5 with (Identifier or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S43	6586	(Authentic\$6).ti. (Authentic \$6).ab. (Authentic\$6 with (Select\$4 or Choos\$4) with \$4Server\$6 with (Identifier or ID) or Authoriz\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S44	10	(Authentic\$6).ti. (Authentic \$6).ab. (Authentic\$6 with (Select\$4 or Choos\$4) with \$4Server\$6 with (Identifier or ID) with Authoriz\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S45	18	((Authentic\$6).ti. or (Authentic\$6).ab.) (Authentic\$6 with (Select \$4 or Choos\$4) with \$4Server\$6 with (Identifier or ID) with Authoriz\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S46	26	(Authentic\$6 with (Select \$4 or Choos\$4) with \$4Server\$6 with (Identifier or ID) with Authoriz\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S47	2083	(Authentic\$6 with (Select \$4 or Choos\$4) with (Identifier or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S48	153	(Authentic\$6 with (Select \$4 or Choos\$4) with (Identifier or ID) with Plural\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50

S49	68	S21 S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S50	30	S49 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S51	36	(US-20050257274-\$ or US-20050193211-\$ or US-20050193211-\$ or US-20050135625-\$ or US-20040250085-\$ or US-20060036856-\$ or US-20050289341-\$ or US-20050102522-\$ or US-20040255168-\$ or US-20040172535-\$ or US-20030033524-\$ or US-20030033524-\$ or US-20040010688-\$ or US-20040010688-\$ or US-20030061518-\$ or US-20030061147-\$ or US-20030065952-\$ or US-20030065952-\$ or US-20030061147-\$ or US-7353542-\$ or US-7350229-\$ or US-6178505-\$ or US-7353542-\$ or US-7350229-\$ or US-6178505-\$ or US-7353542-\$ or US-7350229-\$ or US-6178505-\$ or US-7353661-\$ or US-7325126-\$ or US-7321972-\$ or US-6950935-\$ or US-6338139-\$ or US-7447772-\$ or US-7213156-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/11

S52	36	(US-20050257274-\$ or US-20050193211-\$ or US-20050135625-\$ or US-20040250085-\$ or US-20060036856-\$ or US-2005012522-\$ or US-20040255168-\$ or US-20040172535-\$ or US-20040172535-\$ or US-20030033524-\$ or US-20070211892-\$ or US-20030097593-\$ or US-20030018918-\$ or US-20030018918-\$ or US-20030051147-\$ or US-20030021418-\$).did. or (US-7443983-\$ or US-7353542-\$ or US-7353542-\$ or US-7353542-\$ or US-7351661-\$ or US-7194761-\$ or US-7143436-\$ or US-6950935-\$ or US-6338139-\$ or US-7447772-\$ or US-	US-PGPUB; USPAT	AND	1	2010/01/11
S53	32	• •	US-PGPUB; USPAT	AND	2	2010/01/11

		7321972-\$ or US-7231661- \$ or US-7194761-\$ or US- 6950935-\$ or US-6338139- \$ or US-7213156-\$).did.			***************************************	
S54	4	S52 not S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S55	5	("6185308" "6185682" "6289451").PN. OR ("7143436").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/01/11 10:50
S56	9	("20020138691" "20040039829" "20040088513" "20040186898" "6484245" "6738877" "7099904").PN. OR ("7353542").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/01/11 10:50
S57	1	("20050135625").PN. OR ("7443983").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/01/11 10:50
S58	6	("5671354" "5684950" "5850445" "6131120" "6615264" "6618806"). PN. OR ("7447772").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/01/11 10:50
S59	21	S55 S56 S57 S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 10:50
S60	17	S59 @ad< "20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S61	4	S60 (Authentic\$6 with (Select\$4 or Choos\$4) with (Identifier or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S62	115	((plurality\$4 or integrat\$4 or combin\$4 or multilay\$4 or multilevel\$4) with authenticate\$4) (select\$4 with authentication\$4 with identifier\$4) (authentication\$4 with server\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50

S63	63	S62 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S64	41	((plurality\$4 or integrat\$4 or combin\$4 or multilay\$4 or multilay\$4 or multilevel\$4) with authenticate\$4) (select\$4 with authentication\$4 with identifier\$4) (authentication\$4 with server\$4) (authentication\$4 with \$4 with module\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB		ON	2010/01/11 10:50
S65	20	S64 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S66	39	(US-20050257274-\$ or US-20050193211-\$ or US-20050193211-\$ or US-20050135625-\$ or US-20040250085-\$ or US-20060036856-\$ or US-2005012522-\$ or US-20040172535-\$ or US-20040172535-\$ or US-20040010688-\$ or US-20040010688-\$ or US-200300318918-\$ or US-20030051147-\$ or US-20030051147-\$ or US-20030051147-\$ or US-200300114144-\$).did. or (US-7350229-\$ or US-20030114144-\$).did. or (US-7350229-\$ or US-7321972-\$ or US-7321661-\$ or US-7139918-\$ or US-72444368-7139918-\$ or US-74444368-7139918-\$ or US-7444368-7139918-\$ or US-7444368-7139918-\$ or US-74444368-7139918-\$ or US-74444368-7139918-\$ or US-74444368-7139918-\$ or US-74444368-7139918-\$ or US-74444368-7139918-\$ or US-74444368-7139918-\$ or US-74444368-	US-PGPUB; USPAT	AN	ON	2010/01/11

		\$).did.			1	
S67	2	\$66 ((plurality\$4 or integrat \$4 or combin\$4 or multilay \$4 or multilevel\$4) with authenticate\$4) (select\$4 with authenticate\$4) (authentication\$4 with identifier\$4) (authentication\$4 with server\$4) (authentication \$4 with module\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S68	10	\$66 ((plurality\$4 or integrat \$4 or combin\$4 or multilay \$4 or multilevel\$4 or module\$4) with authenticate\$4) (select\$4 with authenticate\$4) (authentication\$4 with identifier\$4) (authentication\$4 with server\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S69	29	S66 not S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S70	29	\$66 ((plurality\$4 or integrat \$4 or combin\$4 or multilay \$4 or multilevel\$4 or module\$4) authenticate \$4) (select\$4 authenticate \$4) (authentication\$4 identifier\$4) (authentication\$4 server \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S71	19	\$69 ((plurality\$4 or integrat \$4 or combin\$4 or multilay \$4 or multilevel\$4 or module\$4) authenticate \$4) (select\$4 authenticate \$4) (authentication\$4 identifier\$4) (authentication\$4 server \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S72	10	S70 not S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50

S73	10	S66 not S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S74	16	(US-20080201576-\$ or US-20050289341-\$ or US-20050193211-\$ or US-20030097593-\$ or US-20030018918-\$ or US-20050135625-\$ or US-20040181692-\$ or US-200300114144-\$ or US-20070211892-\$ or US-20030051147-\$ or US-2003003524-\$).did. or (US-7444368-\$ or US-6950935-\$ or US-6338139-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/11 10:50
S75	16	(US-20080201576-\$ or US-20050289341-\$ or US-20050193211-\$ or US-20030097593-\$ or US-20030018918-\$ or US-20050135625-\$ or US-20040181692-\$ or US-20030114144-\$ or US-20030061518-\$ or US-20030051147-\$ or US-20030033524-\$).did. or (US-7444368-\$ or US-6950935-\$ or US-6338139-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/11 10:50
S76	1	S75 (select\$4 with authenticate\$4 identifier \$4) (authentication\$4 with server\$4) (provid\$4 with identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S77	1	S75 (select\$4 same authenticate\$4 same identifier\$4) (authentication\$4 with server\$4) (provid\$4 with identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S78	9	S75 (select\$4 authenticate \$4 identifier\$4) (authentication\$4 server \$4) (provid\$4 identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50

S79	0	S75 (selector\$4 authenticate\$4 identifier \$4) (authentication\$4 server\$4) (provider\$4 identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S80	6	S75 (select\$4 authenticate \$4 identifier\$4) (authentication\$4 server \$4) (provider\$4 identifier \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S81	6	S75 (select\$4 authenticate \$4 identifier\$4) (authentication\$4 server \$4) (provider\$4 identifier \$4) Service\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S82	10	S75 not S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
\$83	13	(US-20050289341-\$ or US-20050193211-\$ or US-200301141444-\$ or US-20030097593-\$ or US-20070211892-\$ or US-20050135625-\$ or US-20030051147-\$ or US-20030033524-\$ or US-20030018918-\$).did. or (US-7444368-\$ or US-7353542-\$ or US-6950935-\$ or US-6338139-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/11 10:50
S84	4	S83 (select\$4 authenticate \$4 identifier\$4) (authentication\$4 server \$4) (provider\$4 identifier \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S85	1	11/346211	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S86	1	10/566945	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50

S87	29	(authenticate\$4 selector \$4) (authentication\$4 server\$4) (provider\$4 adj2 identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S88	7	(authenticate\$4 selector \$4) (authenticate\$4 with identifier\$4) (authentication\$4 server \$4) (provider\$4 adj2 identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S89	1	S88 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S90	2	S87 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S91	15	(authenticate\$4 selector \$4) (authenticate\$4 with identifier\$4) (authentication\$4 server \$4) (provider\$4 with identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S92	5	S91 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S93	4	(authenticat\$4 near2 selector\$4) (authenticat\$4 near2 identifier\$4) (authenticat\$4 server\$4) (provider\$4 identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S94	2	S93 @ad<"20050210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S95	15	(authenticat\$4 near2 selector\$4) (authenticat\$4 with identifier\$4) (authenticat\$4 server\$4) (provider\$4 identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50

S96	1	(authenticat\$4 adj selector \$4) (authenticat\$4 identifier\$4) (authentication\$4 server \$4) (provider\$4 identifier \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S97	13	(US-20050289341-\$ or US-20050193211-\$ or US-20030114144-\$ or US-20030097593-\$ or US-20070211892-\$ or US-20030051147-\$ or US-20030033524-\$ or US-20030018918-\$).did. or (US-7444368-\$ or US-7353542-\$ or US-6950935-\$ or US-6338139-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/11 10:50
S98	4	S97 (select\$4 authenticate \$4 identifier\$4) (authentication\$4 server \$4) (provider\$4 identifier \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S99	1	10/566945	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S100	1	S99 (select\$4 authenticate \$4 identifier\$4) (authentication\$4 server \$4) (provider\$4 adj identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S101	1	S99 (provider\$4 adj identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S102	13	(US-20050289341-\$ or US-20050193211-\$ or US-200301141444-\$ or US-20030097593-\$ or US-20070211892-\$ or US-20050135625-\$ or US-20030051147-\$ or US-20030033524-\$ or US-20030018918-\$).did. or (US-7444368-\$ or US-7353542-\$ or US-6950935-\$ or US-6338139-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/11

S103	2	S102 (provider\$4 adj identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S104	2	S102 (service with provider \$4 with identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S105	7	(authenticate\$4 selector \$4) (authenticate\$4 with identifier\$4) (authentication\$4 server \$4) (provider\$4 adj2 identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S106	13	(US-20050289341-\$ or US-20050193211-\$ or US-20030114144-\$ or US-20030097593-\$ or US-20070211892-\$ or US-20050135625-\$ or US-20030051147-\$ or US-20030033524-\$ or US-20030018918-\$).did. or (US-7444368-\$ or US-7353542-\$ or US-6950935-\$ or US-6338139-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/11 10:50
S107	2	S106 (select\$4 authenticate \$4 identifier\$4) (authentication\$4 server \$4) (service with provider \$4 with identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S108	2	S106 (service with provider \$4 with identifier\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50
S109	1	S106 (service same provider\$4 same identifier \$4 same authenticate\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/11 10:50

S110	21732		USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	AND	ON	2010/01/11 11:18
S111	2	(US-20050289341-\$ or US-20030097593-\$).did.	US-PGPUB	AN D	ON	2010/01/11 12:15
S112	3	(US-20050289341-\$ or US-20030097593-\$).did. or (US-7093019-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/11 12:16
S113	3	(US-20050289341-\$ or US-20030097593-\$).did. or (US-7093019-\$).did.	US-PGPUB; USPAT	AND	ON	2010/01/11 12:16

1/11/2010 12:19:40 PM

C:\ Documents and Settings\ tgergiso\ My Documents\ EAST\ Workspaces\ 10566945\ 10566945. wsp